




Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Additional New Part (GK 62-D)




Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.








Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Additional New Part (GK 77-S)





Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing











Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing



Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing






Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing




Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing

Lever Handle suit CL311 / CL411 Lock





Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing
Lever Handle suit CL311 / CL411 Lock	



Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing

Lever Handle for ME633 Mortise Lock




Covers for Key Cylinder
(2 sets)



Preference Pte. Ltd.
www.preference.com.sg

Model: LH11 Lever Handle

Art. No.





Date : 03-JAN-2013

Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.


Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing

Lever Handle for ME633 Mortise Lock




Covers for Key Cylinder
(2 sets)









Strike Plate







Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing



Glass Preparation








Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing




Glass Preparation




Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing



Glass Preparation





Keeper Cup




Keeper Plate




Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing




*View from Outside




Note: Illustration Shows Left Hand.
(Left or Right is determined by the view from outside)




Outside View




Inside View



Keeper Cup
(Glass to Wall)




Keeper Plate
(Glass to Wall)




Glass Preparation




Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin Stainless Steel
Revision	Update Drawing





Note: Illustration Shows Right Hand.
(Left or Right is Determined by the view from outside)



Keeper Cup
(Glass to Wall)



Keeper Plate
(Glass to Wall)




Glass Preparation

Preference
The Preferred Name in Entrance Systems

Preference Pte. Ltd.
www.preference.com.sg

Model: SL91(RH) Sliding Door Lock With Indicator (Right Hand)

Art. No.





Date : 03-MAY-2013

Disclaimer:


This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Glass Thickness	8 - 12 mm Glass Thickness
Material	Stainless Steel
Product Finish	Satin / Polish Stainless Steel
Revision	New Drawing


Outside






Inside




GK623 (NEW)




US623 (NEW)



Keeper Plate (Glass to Wall)



Glass Preparation



Gaskets

NOTE: -for 8mm Glass Thickness
Use 2pcs of 2mm gasket
+ 2pcs of 1mm gasket provided

-for 10mm Glass Thickness
Use 2pcs of 2mm gasket provided


-for 12mm Glass Thickness
Use 2pcs of 1mm gasket provided

1 Preference
The Preferred Name in Entrance Systems

Preference Pte. Ltd.
www.preference.com.sg

Model: US623 Latch (NEW) & GK623 Lock (NEW)

Art. No.





Date : 03-MAY-2013


Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.



Glass Thickness	8 - 12 mm Glass Thickness
Material	Brass
Product Finish	Satin / Polish Chrome Plated
Revision	Update Drawing



US624 Latch




GK624(LH) Strike




KP624
(Fixed to Wall)


NOTE: No Glass Preparation Required.
Left or Right determined by view
from outside.






Glass Thickness	8 - 12 mm Glass Thickness
Material	Brass
Product Finish	Satin / Polish Chrome Plated
Revision	Update Drawing




GK625 Strike




US625 Latch




GK625 Strike



US625 Latch




Glass Preparation
(Glass to Glass)












Glass Preparation
(Glass to Wall)





KP624
(Fixed to Wall)



Glass Thickness	8 - 12 mm Glass Thickness
Material	Brass
Product Finish	Satin / Polish Chrome Plated
Revision	Update Drawing



Glass Thickness	8 - 12 mm Glass Thickness
Material	Brass
Product Finish	Satin / Polish Chrome Plated
Revision	Update Drawing




NOTE: No Glass Preparation is Required



Preference Pte. Ltd.
www.preference.com.sg

Model: US627 Latch & GK627 Strike

Art. No.







Date : 02-MAY-2013


Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.



Glass Thickness	8 - 12 mm Glass Thickness
Material	Brass
Product Finish	Satin / Polish Chrome Plated
Revision	Update Drawing






US629





GK629




Glass Thickness	8 - 12 mm Glass Thickness
Material	Brass
Product Finish	Satin / Polish Chrome Plated
Revision	Update Drawing



US631 Latch



Glass Preparation (US631 / GK631)



GK631 Strike

