








Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel


To suit TD800 / TD750 Floor Spring and
PD15 Floor Pivot



Glass Thickness
(10-12mm)







Glass Preparation





Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD24 Top Pivot, PD30 Overpanel Patch and PD40 Overpanel and Side Panel Patch




Glass Thickness
(10-12mm)









Glass Preparation

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit TD800 / TD750 Floor Spring and
PD15 Floor Pivot







Glass Thickness
(10-12mm)



Glass Preparation

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel




To suit PD24 Top Pivot and PD31 Overpanel Patch



Glass Preparation

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel




To suit PD15P and PD15PT Floor Pivot




Glass Preparation

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit OC700 - Overhead Concealed Door Closer



Glass Thickness
(10-12mm)










Glass Preparation

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD20 Top Patch

Glass Thickness
(10-12mm)



Glass Preparation

1 Preference
The Preferred Name in Entrance Systems


Model: PD30 Overpanel Patch

Art. No.:

Size -- Sheet -/-

Disclaimer:
This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Preference Pte. Ltd.
www.preference.com.sg



Date : 05-NOV-2020







Scale -/- Rev. -

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD21 Top Patch



Glass Thickness
(10-12mm)




Glass Preparation

1 Preference
The Preferred Name in Entrance Systems

Model: PD31 Overpanel Patch (Variable)

Art. No.:

Size -- Sheet -/-



Date : 26-JULY-2014

Scale -:- Rev. -


Disclaimer:

This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.








Preference Pte. Ltd.
www.preference.com.sg

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD20 Top Patch




Glass Thickness
(10-12mm)








Glass Preparation
for Overpanel & Side Panel



Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel





Glass Thickness
(10-12mm)







Glass Preparation
for Overpanel & Side Panel











Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

**LH is determined by view from outside*








Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel


**RH is determined by view from outside*

Glass Thickness	10 - 12 mm Glass Thickness
Material	Body: Aluminium Cover: Stainless Steel
Finishes	Polished Stainless Steel Satin Stainless Steel

To suit PD20 Top Patch



Glass Preparation
for Fin Fitting Attachment Panel



Glass Preparation
for Overpanel & Side Panel

