




| | |
|-----------------|---|
| Glass Thickness | 10 - 12 mm Glass Thickness |
| Material | Body: Aluminium Cover: Stainless Steel |
| Finishes | Polished Stainless Steel Satin Stainless Steel |



Glass Preparation







| | | | | | |
|---|---------------------|-------|----|-------|-----|
| Model: GK30 Single Overpanel Strike Box | | Size | -- | Sheet | -/- |
| Art. No.: | | Scale | -- | Rev. | - |
| | Date : 26-JULY-2014 | | | | |

Disclaimer:
This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.



| | |
|-----------------|---|
| Glass Thickness | 10 - 12 mm Glass Thickness |
| Material | Body: Aluminium Cover: Stainless Steel |
| Finishes | Polished Stainless Steel Satin Stainless Steel |



Glass Thickness
(10-12mm)



Glass Preparation
for Overpanel & Side Panel










| | | | |
|---|-------|-------|-----|
| Model: GK40 Overpanel & Side Panel Strike Box | | | |
| Art. No.: | Size | Sheet | -/- |
| Date : 26-JULY-2014 | Scale | Rev. | - |


Disclaimer:
This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.

Preference Pte. Ltd.
www.preference.com.sg

| | |
|-----------------|---|
| Glass Thickness | 10 - 12 mm Glass Thickness |
| Material | Body: Aluminium Cover: Stainless Steel |
| Finishes | Polished Stainless Steel Satin Stainless Steel |










Glass Preparation
for Fin Fitting Attachment Panel




Glass Preparation
for Overpanel & Side Panel

| | |
|-----------------|---|
| Glass Thickness | 10 - 12 mm Glass Thickness |
| Material | Body: Aluminium Cover: Stainless Steel |
| Finishes | Polished Stainless Steel Satin Stainless Steel |



Glass Preparation for Fin Fitting Attachment Panel



Glass Preparation for Overpanel & Side Panel



Model: GK41 (RH) Overpanel & Side Panel Strike Box with Fin Fitting Attachment

Art. No.:

Size -- Sheet -/-








Date : 26-JULY-2014

Scale -:- Rev. -


Preference Pte. Ltd.
www.preference.com.sg

Disclaimer:


This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.








| | |
|-----------------|---|
| Glass Thickness | 10 - 12 mm Glass Thickness |
| Material | Body: Aluminium Cover: Stainless Steel |
| Finishes | Polished Stainless Steel Satin Stainless Steel |




Glass Preparation
for Fin Fitting Attachment Panel




Glass Preparation
for Overpanel & Side Panel



| | |
|-----------------|---|
| Glass Thickness | 10 - 12 mm Glass Thickness |
| Material | Body: Aluminium Cover: Stainless Steel |
| Finishes | Polished Stainless Steel Satin Stainless Steel |



Glass Preparation for
Fin Fitting Attachment Panel



Glass Preparation
for Overpanel & Side Panel