





- ① **TR6033** Main Top Track (2500mmL x 1no)
- ② **SC60 H-A** Hanger with Roller (1no)
- ③ **SC60 H-B** Hanger with Roller (1no)
- ④ **SF-AC94** 200mm Glass Clamp (2nos)
- ⑤ **SC60 ES** End Stopper with Stopper Plate (2nos)
- ⑥ **PS-100A** Pull Spring Closing Control Device Set (1set) or **PS-80A** Pull Spring Closing Control Device Set (1set)
- ⑦ **SC60 SD** Catch Device Set (1set)
- ⑧ **SC60 RG610** Control Rack Gear (610mmL x 1no) or **SC60 RG450** Control Rack Gear (450mmL x 1no)
- ⑨ **SC-C08** Hydraulic Latching Control Device Set (1set)
- ⑩ **UG-N01** Single U Nylon Floor Guide (1no)

NOTE: PS-100A and SC60 RG610 is for 100 kg door
PS-80A and SC60 RG450 is for 80 kg door



**LH denotes that the door opens to the left
when facing the mechanism.**


Door Width	700 - 1600 mm
Door Weight	80 - 100 kg Range

LH denotes that the door opens to the left when facing the mechanism.





*Edge of SC60 RG610 Control Rack and edge of SC60 H-B Hanger with roller is recommended to have the same distance of 100mm from TR6033 Main Top Track end when in closed position



 Preference <i>The Preferred Name in Entrance Systems</i>	Model: SC60-3 Self Closing Sliding Door (LH)		Disclaimer: This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.
	Art. No.		
Preference Pte. Ltd. www.preference.com.sg		Date : 01-MARCH-2014	


Door Width	700 - 1600 mm
Door Weight	60 - 80 kg Range


RH denotes that the door opens to the right when facing the mechanism.




*Edge of SC60 RG450 Control Rack and edge of SC60 H-A Hanger with roller is recommended to have the same distance of 100mm from TR6033 Main Top Track end when in closed position


"Ω" denotes Approximate Value




 Preference <i>The Preferred Name in Entrance Systems</i>	Model: SC60-2 Self Closing Sliding Door (RH)		Disclaimer: This drawing shows the actual stage of product development at the date indicated. No claims or damages in any form can be made against Preference Pte. Ltd. as a result of the interpretation of this drawing. This drawing remains the property of Preference Pte. Ltd. and is made available to third parties only for the duration of contractual obligations. All rights connected with this drawing remain in possession of Preference Pte. Ltd. This drawing may not be copied or handed over to third parties without the express consent of Preference Pte. Ltd.
	Art. No.		
Preference Pte. Ltd. www.preference.com.sg		Date : 01-MARCH-2014	




**for the door opens to the right, SC-C08 Hydraulic Latching Control Device Set is attached in SC60 H-A Hanger when facing the mechanism*




**for the door opens to the left, SC-C08 Hydraulic Latching Control Device Set is attached in SC60 H-B Hanger when facing the mechanism*




SC60 H-B Hanger with Roller and SF-AC94 200mm Glass Clamp (Front Elevation)




SC60 H-B Hanger with Roller and SF-AC94 200mm Glass Clamp (Front Elevation)




SC60 Hanger with Roller and SF-AC94 200mm Glass Clamp (Side Elevation)



Cover Adaptor



Flip on Cover



SC60 155FC
Flip on Cover and Hanger Plate

P&M[®] SC60 Self Closing Sliding Door System

