













REV.	DESCRIPTION	DATE
1	-----	-----
2		
3		



CSA - Countersunk Point Stud (Adjustable)  
(for 8, 10, 12mm Glass Thickness)




CSA (17.52) - Countersunk Point Stud (Adjustable)  
(for 13.52, 15.52, 17.52mm Glass Thickness)








Glass Preparation for Countersunk Point Stud







ROUND GASKET MODEL	
CSA Gasket	T39 5.9
for 12mm/17.52mm Glass Thickness	T38 1.5
for 10mm/15.52mm Glass Thickness	T37 3.5
for 8mm/13.52mm Glass Thickness	T36 5.5
Flat Gasket	T35 1.5



FHA - Flathead Point Stud (Adjustable)  
(for 8, 10, 12mm Glass Thickness)



FHA (17.52) - Flathead Point Stud (Adjustable)  
(for 13.52, 15.52 17.52mm Glass Thickness)




Glass Preparation for Flathead Point Stud  
Glass Thickness (8-17.52mm)


REV.	DESCRIPTION	DATE
1		
2		
3		

ROUND GASKET MODEL	
FHA Gasket	T40 1.5
for 12mm/17.52mm Glass Thickness	T38 1.5
for 10mm/15.52mm Glass Thickness	T37 3.5
for 8mm/13.52mm Glass Thickness	T36 5.5
Flat Gasket	T35 1.5


REV.	DESCRIPTION	DATE
1		
2		
3		




S01 Standoff with CSA-Countersunk Point Stud (Adjustable)




S01 Standoff with FHA-Flathead Point Stud (Adjustable)




Glass Preparation for Countersunk Point Stud  
Glass Thickness (8-17.52mm)






Glass Preparation for Flathead Point Stud  
Glass Thickness (8-17.52mm)



\*\*\*for 13.52, 15.52 17.52mm  
Glass Thickness **USE**  
CSA (17.52) - Countersunk  
Point Stud (Adjustable)




\*\*\*for 13.52, 15.52 17.52mm  
Glass Thickness **USE**  
FHA (17.52) - Flathead  
Point Stud (Adjustable)






S01 Available Height

	FHA Gasket	CSA Gasket	for 12mm/17.52mm Glass Thickness	for 10mm/15.52mm Glass Thickness	for 8mm/13.52mm Glass Thickness
ROUND GASKET MODEL	T40 1.5	T39 5.9	T38 1.5	T37 3.5	T36 5.5






REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		






Glass Preparation  
Glass Thickness  
(8 - 12 mm)

REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		






Glass Preparation  
Glass Thickness  
(10 - 17.52 mm)

REV.	DESCRIPTION	DATE
1	Change sleeve design	27-JUNE-2022
2		
3		




Glass Preparation  
Glass Thickness  
(10 - 21.52 mm)

REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		






Glass Preparation  
Glass Thickness  
(12 - 21.52 mm)








REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		



Glass Preparation  
Glass Thickness  
(10 - 17.52 mm)




Note: 16.5 - 17 mm thread engagement  
length for 10mm Glass Thickness

REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		






Glass Preparation  
Glass Thickness  
(10 - 21.52 mm)

REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		






Glass Preparation  
Glass Thickness  
(10 - 25.52 mm)

REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		



Glass Preparation  
Glass Thickness  
(10 - 17.52 mm)

REV.	DESCRIPTION	DATE
1	.....	.....
2		
3		



Glass Preparation  
Glass Thickness  
(10 - 17.52 mm)